A symphony of color and pattern



Transform your space into a canvas of expression



Create your own visual masterpiece

Introducing Playlist by Panaria Ceramica, a vivacious symphony of color and pattern that transforms any space into a dynamic canvas of expression. Inspired by the rhythm of modern life and the eclectic energy of geometric patterns, Playlist invites you to play with design possibilities.

Inspired by the hybrid the hybrid the hybrid the electric energy of geometric patterns



A celebration of pattern and color

Crafted with meticulous attention to detail, each tile in the Playlist collection is a celebration of vibrant hues and captivating geometries. From the neutral tones of Ambient White to the bold strokes of Acoustic Amber, every color choice ignites the imagination and sets the stage for endless creativity.





Ambient White Soft 3"x12" - 7.5x30 cm Grunge Greige Soft 3"x12" - 7.5x30 cm Ambient White Soft 8"x8" - 20x20 cm Synth Black Soft 8"x8" - 20x20 cm



Let your space come alive with movement and personality



Durable, practical, functional, and hygienic: porcelain stoneware is an unrivalled surface

New-Age Terracotta Soft 3"x12" - 7.5x30 cm Indie Rust Soft 3"x12" - 7.5x30 cm Indie Rust Soft 8"x8" - 20x20 cm



Turn up the volume and make a statement that's as bold and vibrant as you are

Embrace the playful spirit of Playlist by mixing and matching solid colors with modern geometric decors. Whether you prefer harmonious tonal environments or daring combinations that command attention, Playlist offers the flexibility to curate your own unique style. Let your space come alive with movement, color, and personality. Dance to the rhythm of design with Playlist by Panaria Ceramica.






Indie Rust Soft 8 x8" - 20x20 cm Ska Blue Soft 8"x8" - 20x20 cm Synth Black Soft 8"x8" - 20x20 cm Color Mix Soft 8"x8" - 20x20 cm




Appendix

Playlist Glazed porcelain stoneware Intended use: soft 🗃 🛆				Playlist Glazed porcelain stoneware Intended use: soft 🗃 🛆	E
AMBIENT WHITE		CLASSICAL BEIGE		GRUNGE GREIGE	
	3"x12" - 7.5x30 cm SOFT		3"x12" - 7.5x30 cm SOFT		3"x12" - 7.5 SOFT
¥ 8 mm		¥ 8 mm		¥8 mm	
	8"x8" - 20x20 cm SOFT		8"x8" - 20x20 cm SOFT		8"x8" - 20x2 SOFT
★ 8 mm		★ 8 mm		★ 8 mm	

FLOOR VIEW



FLOOR VIEW



FLOOR VIEW



GOTHIC GREY



- 7.5x30 cm

20x20 cm



SOFT

8"x8" - 20x20 cm SOFT

3"x12" - 7.5x30 cm




FLOOR VIEW


₩8 mm




FLOOR VIEW



FLOOR VIEW



FLOOR VIEW



NEW-AGE TERRACOTTA





₩8 mm

3"x12" - 7.5x30 cm SOFT

8"x8" - 20x20 cm SOFT



FLOOR VIEW

GLAZED PORCELAIN STONEWARE

INTENDED USE: SOFT 🟦 🛆

RHYTHM AND BLUES



₩8 mm

SOFT




8"x8" - 20x20 cm SOFT



∓8 mm

🛨 8 mm



3"x12" - 7.5x30 cm

8"x8" - 20x20 cm

SOFT

SOFT

SKA BLUE




₩8 mm

3"x12" - 7.5x30 cm SOFT

SOFT


8"x8" - 20x20 cm

₩8 mm



FLOOR VIEW

₩8 mm



Playlist

SYNTH BLACK




3"x12" - 7.5x30 cm



3"x12" - 7.5x30 cm SOFT

8"x8" - 20x20 cm SOFT



FLOOR VIEW

₩8 mm

GLAZED PORCELAIN STONEWARE

INTENDED USE: SOFT 🗃 📥

ACCESSORY



Random assortment of 10 accessories, packaged 16 pieces per carton

COLOR MIX

¥8 mm

8"x8" - 20x20 cm SOFT

FLOOR VIEW



Playlist

GLAZED PORCELAIN STONEWARE

INTENDED USE: SOFT 🛍 🛆

ACCESSORY





Random assortment of 10 accessories, packaged 16 pieces per carton

NEUTRAL MIX



FLOOR VIEW



GLAZED PORCELAIN STONEWARE

TECHNICAL FEATURES

GLAZED PORCELAIN STONEWARE according to ANSI A137.1 (Glazed Porcelain Tiles - P1 Class)

TECHNICAL FEATURES		TEST METHOD	REQUIRED VALUES	AVERAGE VALUES	
	WATER ABSORPTION	ASTM C373	≤ 0.5%	CONFORMS	
	BREAKING STRENGTH	ASTM C648	≥ 250 lbf	≥350 lbf	
PEI	SURFACE ABRASION RESISTANCE	ASTM C1027	As indicated by manufacturer	PEI 3	
	LINEAR THERMAL EXPANSION	ASTM C372	Not Required	$\alpha \leq 4.4 \; x \; 10^{-6} \; ^\circ F^{-1}$	
*	STAIN RESISTANCE	ASTM C1378	As indicated by manufacturer	AS REPORTED	
\bigcirc	CHEMICAL RESISTANCE ⁽⁷⁾	ASTM C650	As indicated by manufacturer	AS REPORTED	
鱳	FROST RESISTANCE	ASTM C1026	No sample must show visible signs.	CONFORMS	
	BOND STRENGTH	ASTM C482	≥ 50 PSI	CONFORMS	
	SLIP RESISTANCE	ANSI A326.3	Porcelain A326.3	IW+	
	SHADE VARIATION	ANSI A137.1	V2	V2 (Slight Variation)	
⊘	FLAME SPREAD	ASTM E84		Class A	
	THERMAL CONDUCTIVITY	EN 12524	-	λ = 1,3 W/m °K / 0.7 BTU/ft h °F	
*	RECOMMENDED MINIMUM JOINT	NOT RECT (INDOOR)		3/16" - 4.7 mm approx.	
	THICKNESS	SIZES 3"x12" - 7.5x30 cm 8"x8" - 20x20 cm	-	8 mm	

(*) Excluding hydrofluoric acid and its derivatives.

(**) Grout Joint Recommendations. Per TCNA Handbook, the minimum required joint width for ceramic tile and natural stone is 1/16th. Setting ceramic or stone without a grout joint of a least 1/16", often referred to as a butt joint, does not provide sufficient accommodation for dynamic building movement, differential thermal expansion, or allowable variation in fabrication or manufacturing.

PACKINGS AND WEIGHTS

SIZES	SF / CTN	PIECES / CTN	CTN / PALLET	SF / PALLET	LBS / CTN	LBS / PALLET
8"x8" Soft	6.89	16	72	496.08	28.87	2,129
3"x12" Soft	5.06	24	120	607.20	18.36	2,253



GLAZED PORCELAIN STONEWARE

INTENDED USE

KEY

RESIDENTIAL

Kitchens, bathrooms, living rooms and other residential environments.

CERTIFICATIONS





PANARIA AND THE ENVIRONMENT




100% REUSE OF UNFIRED TILES

Crude waste generated by the process is reintegrated in the production cycle with no costs for the environment. This contributes to the safeguard of natural resources.



The waste-fired tiles are fully reused in the production cycle. In addition, at the end of life, the tiles Panaria can be recycled as materials for substrates for roads and buildings, thus reducing the use of gravel and natural aggregates commonly used in building.





PANARIA PACKING MATERIAL IS 100% RECYCLABLE



Carton boxes, plastic packaging materials, wooden pallets, straps, etc.


Follow us on



Group Marketing & Communications - Panariagroup October 2024

LIGHT COMMERCIAL

Offices, offices open to the general public, waiting rooms, shops, public bathrooms, common apartment block areas, restaurant dining rooms, car showrooms, bars, cinemas, surgeries/clinics, hotel rooms and bathrooms.



Common areas of shopping centres, hotel foyers, canteens, fast food restaurants, dance clubs, hospitals, schools, museums, places of worship, airports, stations.



Mainly for external areas that require flooring with anti-slip characteristics.

GREENGUARD CERTIFICATION This series is made in a production plant that is GOLD GREENGUARD certified

100% REUSE/RECYCLING OF THE INDUSTRIAL WASTE - FIRED TILES



100% OF NON CERAMIC WASTE

s differentiated and recycled in other production cycles.



SAFETY REQUIREMENTS: NO FIRE REACTION

All of Panaria's ceramic tile products are Class A building materials as described in ASTM E84 -Standard Test Method for Surface Burning Characteristics of Building Materials. This is due to the flame spread rating of (0) and smoke developed rating of (0) falling within the ranges of a Class A material. Other building codes refer to this as a Type I material in accordance with NFPA 255.



METHANE CONSUMPTION IS HIGHLY REDUCED

By the use of up to date technologies and customized installations.



LOW EMISSIONS IN THE ATMOSPHERE

Panaria production plant strictly complies to US Standards with a very small amount of gas emissions in the atmosphere.

