

STONEMIX

Series

GLAZED PORCELAIN



olympiatile+stone®



STONEMIX SERIES - Glazed Porcelain (Rectified)



CALACATTA GREY

30 x 60 cm (12" x 24")

Thickness: 8.7 mm

Matte Finish VOV.SX.CTG.1224.MT
Polished Finish VOV.SX.CTG.1224.PL

60 x 120 cm (24" x 48")

Thickness: 9.5 mm

Matte Finish VOV.SX.CTG.2448.MT
Polished Finish VOV.SX.CTG.2448.PL



CRYSTAL WHITE

30 x 60 cm (12" x 24")

Thickness: 8.7 mm

Matte Finish VOV.SX.CRW.1224.MT
Polished Finish VOV.SX.CRW.1224.PL

60 x 120 cm (24" x 48")

Thickness: 9.5 mm

Matte Finish VOV.SX.CRW.2448.MT
Polished Finish VOV.SX.CRW.2448.PL

All items shown in this document are part of Olympia's stocking program. For special orders, please contact your Olympia Tile Sales Representative.

olympiatile+stone[®]



STONEMIX SERIES - Glazed Porcelain (Rectified)



TAJ MAHAL

30 x 60 cm (12" x 24")


Thickness: 8.7 mm

Matte Finish VOV.SX.TAJ.1224.MT
Polished Finish VOV.SX.TAJ.1224.PL

60 x 120 cm (24" x 48")

Thickness: 9.5 mm

Matte Finish VOV.SX.TAJ.2448.MT
Polished Finish VOV.SX.TAJ.2448.PL



CREMA MARFIL

30 x 60 cm (12" x 24")

Thickness: 8.7 mm

Matte Finish VOV.SX.CMF.1224.MT
Polished Finish VOV.SX.CMF.1224.PL

60 x 120 cm (24" x 48")

Thickness: 9.5 mm

Matte Finish VOV.SX.CMF.2448.MT
Polished Finish VOV.SX.CMF.2448.PL

All items shown in this document are part of Olympia's stocking program. For special orders, please contact your Olympia Tile Sales Representative.

olympiatile+stone[®]



STONEMIX SERIES - Glazed Porcelain (Rectified)



TRAVERTINE BONE

30 x 60 cm (12" x 24")

Thickness: 8.7 mm

Matte Finish VOV.SX.TRB.1224.MT

60 x 120 cm (24" x 48")

Thickness: 9.5 mm

Matte Finish VOV.SX.TRB.2448.MT

All items shown in this document are part of Olympia's stocking program. For special orders, please contact your Olympia Tile Sales Representative.

olympiatile+stone®




STONEMIX SERIES

Tests Performed – Results Conform

Test	Standard Used	Min. Requirements	Results
Water Absorption	ISO 10545-3	< 0.5%	Conforms
Dynamic Co-efficient of Friction	ANSI A137.1/2012	≥ 0.42	Conforms
Bending / Breaking Strength	ISO 10545-4	> 1300N	Conforms
Frost Resistance	ISO 10545-12	Required	Conforms
Stain Resistance	ISO 10545-14	> Class 3	Conforms
Chemical Resistance	ISO 10545-13	≥ UB	Conforms

Technical data is supplied by the manufacturer and is subject to change at any time. Olympia does not provide warranties as to the specifications of any product.

Colour Variation



Member



Member of Canada
Green Building
Council



Member of U.S.
Green Building
Council



The Terrazzo, Tile, and
Marble Association of
Canada



Ceramic Tile
Distributors of
America (CTDA)




Marble Institute
of America

Examples of Recommended Applications

Residential



Commercial



Indoor



Outdoor



Wall



Floor



USAGE:

Residential:
Walls and floors

Commercial:
Walls and light
commercial floors

Packing Details

TILE SIZE	PC/BOX	SF/BOX	LB/BOX	BOX/PAL
12" x 24"	8	15.50	65.68	40
24" x 48"	2	15.50	73.86	38

olympiatile+stone®



PRODUCT	WALL APPLICATION		FLOOR APPLICATION	
	Interior	Exterior	Interior	Exterior
TILE BOND COAT	• 66 FlexLite • 56SR LHT Mortar	• 5400 Maxi-Flex • 51/44 Latex Mortar System	• 56SR LHT Mortar • 5400 Maxi-Flex	• 5400 Maxi-Flex • 51/44 Latex Mortar System
GROUT	• 500 PM Unsanded • 600 PM Sanded • 1600UPG PM Grout	• 600 PM Sanded • 1600UPG PM Grout	• 600 PM Sanded • 1600UPG PM Grout • FlexEpoxy 100 Epoxy Grout	• 600 PM Sanded • 1600UPG PM Grout
CAULKING	Ultra Performance (colour-matched to grout)	Ultra Performance (colour-matched to grout)	Ultra Performance (colour-matched to grout)	Ultra Performance (colour-matched to grout)

SURFACE PREPARATION (If Required)

- Floor levelling: 59 Flex Flo / 5900 Flex Flo Plus Self Levelling Underlayment
- Waterproofing: WP900 Waterproof Membrane
- Crack Isolation/Uncoupling: Flexilastic 1000 Crack Isolation Membrane / FlexMat Uncoupling Membrane

* For a complete listing of FLEX TILE products and accessories including Sound Control, In-Floor Heating, and further setting options, please visit www.flextile.net

NOTE: • Wall and Floor surfaces must be flat, in order to ensure proper bond coat coverage and to reduce tile lippage with Large Format Tile or Stone. Refer to relevant sections in the TTMAC and TCNA Guides for specific substrate flatness requirements, or contact Olympia Tile or Flextile Ltd.
• When installing Large Format Tile or Stone on Wall surfaces, ensure that local building codes are followed in terms of height restrictions for installing without assistance of mechanical fastening systems.
• When installing Large Format Tile or Stone on gypsum board Wall surfaces, ensure that the net weight per sq ft of the tile and installation system doesn't exceed the weight per sq ft rating of the gypsum board.

HG Surface Care Product Guide				
Task	Room	Product Recommendation	Dilution with Water	Frequency
Cleaning Mold from Bathroom	Bathroom	HG Mold Stain Cleaner Foam Spray 500ml	Ready to use	As needed
Cleaning Mold & Mildew from Bathrooms	Bathroom	HG Bathroom Mold & Mildew Remover 500ml	Ready to use	As needed
Powerful and buffered grout cleaner	Bathroom	HG Tile Grout Cleaner Spray 500ml	Ready to use	As Needed
Grout Sealer & Protector	Bathroom	HG Tile Grout Sealer and Protector 500ml	Ready to use	As needed (Depending on usage)
Cement remover removes stubborn cement residue	Floor	HG Tile Cement; Mortar & Efflorescence Remover	1:4 Ratio to 1:10 Ratio (degree of residue)	As Needed
Concentrated Mopping Cleaner	Floor	HG Natural Stone Cleaner and Shine Restorer	50ml per 5L	As needed
Removes cement residue and lime film safely	Floor	HG Natural Stone Cement Grout Film Remover	0.5L to 5L 1L to 4L (Intensive Soiling)	As Needed
Removes extremely stubborn dirt and grease	Floor	HG Natural Stone Power Cleaner	1:3 Ratio to 1:10 Ratio	As needed
Extremely strong grease and dirt remover	Floor	HG Tile Extreme Power Cleaner Concentrate	0.5L to 5L 1L to 4L (Intensive Soiling)	As needed
Protects against dirt and grease stain	Floor	HG Tile Impregnating Sealer & Protector	Ready to use	As needed (Depending on usage)
Pre-treatment for marble and other types of natural stone	Floor	HG Natural Stone Impregnating Sealer & Protector	Ready to use	As needed





CALACATTA GREY



TRAVERTE BONE

olympiatile+stone®





CREMA MARFIL



TAJ MAHAL

olympiatile+stone®






TAJ MAHAL

olympiatile+stone®



STONEMIX SERIES:



Sample Board MEF-335 & FL-955

Colour may vary slightly from images shown. It is highly recommended to view physical samples of tile prior to purchase. Note that shade variations between tiles is characteristic and adds to the inherent beauty of the product. Please visit a showroom near you or request a sample from your Olympia Tile Sales Representative.



It is Olympia Tile's policy to stock all items for sale. Should you require additional sizes, finishes or colours, Olympia has a Special Order Department to help find exactly what you are looking for. Please contact your Olympia Tile Sales Representative for more details. Note that minimum order quantities and longer lead times apply to all special order items.

the olympiatile+stone® group

OLYMPIA TILE + STONE INTERNATIONAL INC.

CORPORATE OFFICE AND SHOWROOM TORONTO

1000 Lawrence Ave. West
Ontario M6A 1C6
T: 416 785 9555
Toll Free: 1 800 268 1613
F: 416 785 9682

VAUGHAN

100A Royal Group Crescent
Ontario L4H 1X9
T: 905 266 0420
F: 905 266 0423

SLAB DIVISION

TORONTO

VANCOUVER

8220 Fraser Reach Court
Burnaby, BC V3N 0G2
T: 604 294 2244
Toll Free: 1 800 663 9441
F: 604 294 0528

CALGARY

3308 - 11th Street S.E.
Alberta T2G 3G8
T: 403 287 1070
Toll Free: 1 800 322 8182
F: 403 243 1888

EDMONTON

11540 - 163rd Street
Alberta T5M 3T3
T: 780 452 5050
Toll Free: 1 800 619 4438
F: 780 451 4391

WINNIPEG

560 Sheppard Street
Manitoba R2X 2P8
T: 204 633 5736
Toll Free: 1 800 665 8017
F: 204 632 4644

HALIFAX

55 Akerley Boulevard
Dartmouth, Nova Scotia
B3B 1M3
T: 902 468 9260
Toll Free: 1 800 565 7790
F: 902 468 0011

LONDON

234 Exeter Road Ontario
N6L 1A3
T: 519 652 5011
Toll Free: 1 800 265 4690
F: 519 652 5021

HAMILTON

75 Milburn Road
Ontario L8E 3A3
T: 905 560 5520
Toll Free: 1 800 263 1370
F: 905 578 3593

OTTAWA

2480 Don Reid Drive
Ontario K1H 1E1
T: 613 736 9570
Toll Free: 1 800 267 1864
F: 613 736 9563

MONTREAL

555 rue Locke
Ville St-Laurent,
Quebec H4T 1X7
T: 514 345 8666
Toll Free: 1 800 361 1954
F: 514 345 8825

QUEBEC

2405 rue Watt
Quebec G1P 3X2
T: 418 657 5557
Toll Free: 1 800 463 5516
F: 418 657 6708

OLYMPIA TILE (USA), INC.

CORPORATE OFFICE

701 Berkshire Lane North
Minneapolis (Plymouth)
Minnesota 55441
T: 763 545 5455
Toll Free: 1 800 288 3026
F: 763 542 9830

FLORIDA

ALPHA TILE & STONE
2443 East Meadow Blvd.
Tampa, Florida 33619
T: 813 620 9000
Toll Free: 1 800 785 9000
F: 813 621 0606

10898-A Metro Parkway
Fort Myers, Florida 33966
T: 239 275 8288
Toll Free: 1 800 785 8288
F: 239 275 0116

1808 Whitfield Ave.
Sarasota, Florida 34243
T: 941 727 7433
Toll Free: 1 800 785 3484
F: 941 727 7381

MICHIGAN

BEAVER TILE & STONE
24700 Drake Rd.
Detroit West (Farmington Hills)

1700 Stutz Dr., Suite 101
Detroit North (Troy) Michigan
48084

2780 Enterprise Ct.
Saginaw, Michigan 48603
T: 989 790 5851
Toll Free: 1 800 797 0897
F: 989 790 0311

13085 23 Mile Rd.
Detroit East (Shelby Township)
Michigan 48315
T: 586 991 0780
Toll Free: 1 800 889 5395
F: 586 991 0784

GRAND RAPIDS, (Wyoming)

1694 Gezon Parkway
Michigan 49509

T: 616 534 2883
Toll Free: 1 800 797 0727
F: 616 534 4748

KATE-LO TILE & STONE

701 Berkshire Lane North
Minneapolis (Plymouth)

Michigan 55441
T: 763 545 5455
Toll Free: 1 800 288 3026
F: 763 542 9830

13211 Chandler Road, Suite 400

Omaha (La Vista)
Nebraska 68138-3703
T: 402 614 9010

Toll Free: 1 877 687 6636
F: 402 614 0989

NEW JERSEY

NEW JERSEY TILE & STONE

70 Newfield Avenue
Raritan Center, Edison
New Jersey 08837
T: 732 512 1818

Toll Free: 1 800 513 8453
F: 732 512 1881

NEW YORK

DOBKIN TILE & STONE
51 Benbro Drive
Buffalo (Cheektowaga)
New York 14225
T: 716 684 1200
Toll Free: 1 800 759 1414
F: 716 684 1294

NEBRASKA

KATE-LO TILE & STONE 13211
Chandler Road, Suite 400
Omaha (La Vista)
Nebraska 68138-3703
T: 402 614 9010

Toll Free: 1 877 687 6636
F: 402 614 0989

OREGON

THOMPSON TILE & STONE

3549 NW Yeon Ave.
Portland
Oregon 97210
T: 971 803 7551

Toll Free: 1 800 827 4092
F: 971 319 6975

WISCONSIN

LEXCO TILE & STONE
1616 S. 108th Street,
Milwaukee
Wisconsin 53214
T: 414 771 2900
Toll Free: 1 800 242-2249
F: 414 771 9153

WASHINGTON

THOMPSON TILE & STONE

711 S. Fidalgo Street
Seattle
Washington 98108
T: 206 900 7327
Toll Free: 1 800 827 4093
F: 206 294 5933

FLEXTILE LTD. *

MANUFACTURING PLANTS

www.flextile.net

TORONTO (Head Office)

111 Royal Group Crescent Unit A
Vaughan, ON L4H 1X9
Phone: (416) 255-1111 | 1-800-699-3623
Fax: (416) 255-1729

BURNABY

2969 Lake City Way | Burnaby
British Columbia V5A 2Z6
T: 604 420-4914 | Toll Free: 1 888 236 4486
F: 604 420-0936

CANADA-US BRANCH LIST DATE REV 05/2024 CM

10-2024

All sales and transactions are subject to our terms and conditions of sale, available on our website.

olympiatile+stone®

10