

PIETRA DI OROSEI

Series

PORCELAIN



PIETRA DI OROSEI SERIES - Colour Based Porcelain (Rectified)



PERLA (Pearl)

Matte Finish; Thickness 9 mm

30 x 60 cm (12" x 24")

RZ.PO.PRL.1224.MT

60 x 120 cm (24" x 48")

RZ.PO.PRL.2448.MT



CORDA (Beige)

Matte Finish; Thickness 9 mm

30 x 60 cm (12" x 24")

RZ.PO.CDA.1224.MT

60 x 120 cm (24" x 48")

RZ.PO.CDA.2448.MT

All items shown in this document are part of Olympia's stocking program. For special orders, please contact your Olympia Tile Sales Representative.

PIETRA DI OROSEI SERIES - Colour Based Porcelain (Rectified)



GRIGIO CONCHIGLIA (Light Grey)

Matte Finish; Thickness 9 mm

30 x 60 cm (12" x 24")

RZ.PO.GCG.1224.MT

60 x 120 cm (24" x 48")

RZ.PO.GCG.2448.MT



GRIGIO BRUCIATO (Dark Grey)

Matte Finish; Thickness 9 mm

30 x 60 cm (12" x 24")


RZ.PO.GBR.1224.MT

60 x 120 cm (24" x 48")

RZ.PO.GBR.2448.MT

All items shown in this document are part of Olympia's stocking program. For special orders, please contact your Olympia Tile Sales Representative.

PIETRA DI OROSEI SERIES - Colour Based Porcelain (Rectified)



PERLA (Pearl) Decor

Matte Finish; Thickness 9 mm

60 x 120 cm (24" x 48")

RZ.PO.PRL.2448.MT.DC



CORDA (Beige) Decor

Matte Finish; Thickness 9 mm

60 x 120 cm (24" x 48")

RZ.PO.CDA.2448.MT.DC



These decorative tiles feature a modern, architectural undulating and fluted profile that creates a dynamic, three-dimensional surface.

To fully appreciate the depth and texture of this pattern, we highly recommend viewing a physical tile sample.

All items shown in this document are part of Olympia's stocking program. For special orders, please contact your Olympia Tile Sales Representative.

PIETRA DI OROSEI SERIES - Colour Based Porcelain (Rectified)



GRIGIO CONCHIGLIA (Light Grey) Decor
Matte Finish; Thickness 9 mm

60 x 120 cm (24" x 48")
RZ.PO.GCG.2448.MT.DC



GRIGIO BRUCIATO (Dark Grey) Decor
Matte Finish; Thickness 9 mm

60 x 120 cm (24" x 48")
RZ.PO.GBR.2448.MT.DC



These decorative tiles feature a modern, architectural undulating and fluted profile that creates a dynamic, three-dimensional surface.

To fully appreciate the depth and texture of this pattern, we highly recommend viewing a physical tile sample.

All items shown in this document are part of Olympia's stocking program. For special orders, please contact your Olympia Tile Sales Representative.


PIETRA DI OROSEI SERIES

Tests Performed – Results Conform

Test	Standard Used	Min. Requirements	Results
Water Absorption	ISO 10545-3	< 0.5%	Conforms
Dynamic Co-efficient of Friction	ANSI A326.3-2021	≥ 0.42	Conforms
Bending / Breaking Strength	ISO 10545-4	>1300N	Conforms
Slip Resistance	DIN EN 16165:2021	R-9	Conforms
Deep Abrasion Resistance	Internal Test	-	HT - Heavy Pedestrian Traffic
Chemical Resistance	ISO 10545-13	min. UB	Conforms
Frost Resistance	ISO 10545-12	Required	Conforms
Stain Resistance	ISO 10545-14	> Class 3	Conforms

Technical data is supplied by the manufacturer and is subject to change at any time. Olympia does not provide warranties as to the specifications of any product.

Colour Variation



Member



Member of Canada
Green Building
Council



Member of U.S.
Green Building
Council

TTMAC ACTTM

The Terrazzo, Tile, and
Marble Association of
Canada



Ceramic Tile
Distributors of
America (CTDA)



Marble Institute
of America

For information concerning LEED, please
contact our Sales Representative

Examples of Recommended Applications

Residential



Commercial



Indoor



Outdoor



Wall



Floor



USAGE

Field Tile: Residential &
Commercial walls and
interior floors

Decor: Residential &
Commercial interior walls

Packing Details

TILE SIZE FINISH NO. OF FACES	PC/BOX	SF/BOX	LB/BOX	BOX/PAL
12" x 24" Matte (58-65 faces)	6	11.63	49.80	48
24" x 48" Tile & Decor Matte (14-17 faces)	2	15.50	66.66	36

PRODUCT	WALL APPLICATION (FIELD TILE & DECOR)		FLOOR APPLICATION (FIELD TILE ONLY)	
	Interior	Exterior	Interior	Exterior
TILE BOND	• 66 FlexLite PM Mortar • 56SR LHT Mortar	• 5400 Maxi-Flex PM Mortar • 51/44 Latex Mortar System	• 61 LFT Mortar • 56SR LHT Mortar	N/A
GROUT	• 500 PM Unsanded • 600 PM Sanded • 1600UPG PM Grout	• 600 PM Sanded • 1600UPG PM Grout	• 600 PM Sanded • 1600UPG PM Grout • FlexEpoxy 100 Epoxy Grout	N/A
CAULKING	Ultra Performance (colour-matched to grout)	Ultra Performance (colour-matched to grout)	Ultra Performance (colour-matched to grout)	N/A

SURFACE PREPARATION (If Required)

- Floor levelling: 59 Flex Flo / 5900 Flex Flo Plus Self Levelling Underlayment
- Waterproofing: WP900 Waterproof Membrane
- Crack Isolation/Uncoupling: Flexilastic 1000 Crack Isolation Membrane / FlexMat Uncoupling Membrane

* For a complete listing of FLEX TILE products and accessories including Sound Control, In-Floor Heating, and further setting options, please visit www.flextile.net

 HG Surface Care Product Guide				
Task	Room	Product Recommendation	Dilution with Water	Frequency
Cleaning Mold from Bathroom	Bathroom	HG Mold Stain Cleaner Foam Spray 500ml	Ready to use	As needed
Cleaning Mold & Mildew from Bathrooms	Bathroom	HG Bathroom Mold & Mildew Remover 500ml	Ready to use	As needed
Powerful and buffered grout cleaner	Bathroom	HG Tile Grout Cleaner Spray 500ml	Ready to use	As Needed
Grout Sealer & Protector	Bathroom	HG Tile Grout Sealer and Protector 500ml	Ready to use	As needed (Depending on usage)
Cement remover removes stubborn cement residue	Floor	HG Tile Cement; Mortar & Efflorescence Remover	1:4 Ratio to 1:10 Ratio (degree of residue)	As Needed
Concentrated Mopping Cleaner	Floor	HG Natural Stone Cleaner and Shine Restorer	50ml per 5L	As needed
Removes cement residue and lime film safely	Floor	HG Natural Stone Cement Grout Film Remover	0.5L to 5L 1L to 4L (Intensive Soiling)	As Needed
Removes extremely stubborn dirt and grease	Floor	HG Natural Stone Power Cleaner	1:3 Ratio to 1:10 Ratio	As needed
Extremely strong grease and dirt remover	Floor	HG Tile Extreme Power Cleaner Concentrate	0.5L to 5L 1L to 4L (Intensive Soiling)	As needed
Protects against dirt and grease stain	Floor	HG Tile Impregnating Sealer & Protector	Ready to use	As needed (Depending on usage)
Pre-treatment for marble and other types of natural stone	Floor	HG Natural Stone Impregnating Sealer & Protector	Ready to use	As needed



PERLA (Pearl)



CORDA (Beige)



GRIGIO CONCHIGLIA (Light Grey)



GRIGIO BRUCIATO (Dark Grey)



GRIGIO CONCHIGLIA (Light Grey) Decor



CORDA (Beige) Decor



GRIGIO BRUCIATO (Dark Grey)

PIETRA DI OROSEI SERIES: Board MEF-1136 & Folder FL-1738



Colour may vary slightly from images shown. It is highly recommended to view physical samples of tile prior to purchase. Note that shade variations between tiles is characteristic and adds to the inherent beauty of the product. Please visit a showroom near you or request a sample from your Olympia Tile Sales Representative.



It is Olympia Tile's policy to stock all items for sale. Should you require additional sizes, finishes or colours, Olympia has a Special Order Department to help find exactly what you are looking for. Please contact your Olympia Tile Sales Representative for more details. Note that minimum order quantities and longer lead times apply to all special order items.

the olympiatile+stone® group

OLYMPIA TILE + STONE INTERNATIONAL INC.

**CORPORATE OFFICE
AND SHOWROOM
TORONTO**
1000 Lawrence Ave. West
Ontario M6A 1C6
T: 416 785 9555
Toll Free: 1 800 268 1613

VANCOUVER
8220 Fraser Reach Court
Burnaby, BC V3N 0G2
T: 604 294 2244
Toll Free: 1 800 663 9441

EDMONTON
11540 - 163rd Street
Alberta T5M 3T3
T: 780 452 5050
Toll Free: 1 800 619 4438

LONDON
234 Exeter Road
Ontario N6L 1A3
T: 519 652 5011
Toll Free: 1 800 265 4690

MONTREAL
555 rue Locke
Ville St-Laurent,
Quebec H4T 1X7
T: 514 345 8666
Toll Free: 1 800 361 1954

HALIFAX
55 Akerley Boulevard
Dartmouth, Nova Scotia
B3B 1M3
T: 902 468 9260
Toll Free: 1 800 565 7790

VAUGHAN
100A Royal Group
Crescent
Ontario L4H 1X9
T: 905 266 0420

CALGARY
3308 - 11th Street S.E.
Alberta T2G 3G8
T: 403 287 1070
Toll Free: 1 800 322 8182

WINNIPEG
560 Sheppard Street
Manitoba R2X 2P8
T: 204 633 5736
Toll Free: 1 800 665 8017

OTTAWA
2480 Don Reid Drive
Ontario K1H 1E1
T: 613 736 9570
Toll Free: 1 800 267 1864

QUEBEC
2405 rue Watt
Quebec G1P 3X2
T: 418 657 5557
Toll Free: 1 800 463 5516

SLAB DIVISION

TORONTO
22 Dufflaw Road | Toronto | Ontario | M6A 2W1
T: 416 785 9555 ext 1320 | F: 416 781 4521

VAUGHAN
100A Royal Group Crescent | Vaughan | Ontario | L4H 1X9
T: 905 266 0420 | F: 905 266 0423

OLYMPIA TILE (USA), INC.

CORPORATE OFFICE
701 Berkshire Lane North
Minneapolis (Plymouth)
Minnesota 55441
T: 763 545 5455
Toll Free: 1 800 288 3026

1808 Whitfield Ave.
Sarasota, Florida 34243
T: 941 727 7433
Toll Free: 1 800 785 3484

1700 Stutz Dr., Suite 101
Detroit North (Troy)
Michigan 48084
T: 248 649 5552

**MINNESOTA
KATE-LO TILE & STONE**
701 Berkshire Lane North
Minneapolis (Plymouth)
Minnesota 55441
T: 763 545 5455
Toll Free: 1 800 288 3026

**NEW JERSEY
NEW JERSEY TILE
& STONE**
70 Newfield Avenue
Raritan Center, **Edison**
New Jersey 08837
T: 732 512 1818
Toll Free: 1 800 513 8453

**WISCONSIN
LEXCO TILE & STONE**
1616 S. 108th Street,
Milwaukee
Wisconsin 53214
T: 414 771 2900
Toll Free: 1 800-242-2249

**FLORIDA
ALPHA TILE & STONE**
2443 East Meadow Blvd.
Tampa, Florida 33619
T: 813 620 9000
Toll Free: 1 800 785 9000

**IOWA
KATE-LO TILE & STONE**
4405 121st Street
Des Moines (Urbandale)
Iowa 50323
T: 515 270 4920
Toll Free: 1 800 320 1387

2780 Enterprise Ct.
Saginaw, Michigan 48603
T: 989 790 5851

13085 23 Mile Rd.
Detroit East (Shelby Township)
Michigan 48315
T: 586 991 0780

**NEBRASKA
KATE-LO TILE & STONE**
13211 Chandler Road, Suite 400
Omaha (La Vista)
Nebraska 68138-3703
T: 402 614 9010
Toll Free: 1 877 687 6636

**NEW YORK
DOBKIN TILE & STONE**
51 Benbro Drive
Buffalo (Cheektowaga)
New York 14225
T: 716 684 1200
Toll Free: 1 800 759 1414

**WASHINGTON
THOMPSON TILE & STONE**
6030 S. 196th Street
Kent
Washington 98032
T: 206 900 7327
Toll Free: 1 800 827 4093

10898-A Metro Parkway
Fort Myers, Florida 33966
T: 239 275 8288
Toll Free: 1 800 785 8288

**MICHIGAN
BEAVER TILE & STONE**
24700 Drake Rd.
Detroit West (Farmington Hills)
Michigan 48335
T: 248 476 2333

1694 Gezon Parkway
Grand Rapids, (Wyoming)
Michigan 49509
T: 616 534 2883

FLEXTILE LTD. 
MANUFACTURING PLANTS
www.flextile.net

TORONTO (Head Office)
111 Royal Group Crescent Unit A
Vaughan, ON L4H 1X9
Phone: (416) 255-1111
Toll Free: 1-800-699-3623

BURNABY
2829 Lake City Way | Burnaby
British Columbia | V5A 2Z6
T: 604 420-4914
Toll Free: 1 888 236 4486

CANADA-US BRANCH LIST DATE
REV 05-01-2026 LP

All sales and transactions are subject to our terms and conditions of sale, available on our website.

olympiatile+stone®